

**PATONS**  
PUBLICATIONS

Double Knittings by Patons or  
Patons Brilliante Double Knitting

Six sizes to fit 34-44 inch bust/chest

9234

9d

12c





# Pleasant panel pattern

Decorative border embellishes the classic outline in

Double Knittings by Patons with a choice of six sizes

## MATERIALS

20 [22, 23, 24, 25, 26] oz. PATONS DOUBLE KNITTING, or  
PATONS TOTEM Double Crepe, or  
20 [21, 22, 23, 24, 25] oz. PATONS MOORLAND Double Knitting, or  
22 [23, 24, 26, 27, 28] oz. PATONS BRILLIANT Double Knitting, 100% Bri-Nylon.  
Two No. 11 and two No. 9 BEEHIVE or QUEEN BEE needles, measured by BEEHIVE gauge. Two stitch-holders. Six buttons. *You must use the Patons brands recommended above to be sure of a successful result.*

## MEASUREMENTS

To fit 34 [36, 38, 40, 42, 44] inch bust or chest (loosely).  
Length at centre back, 26 [26½, 26½, 26½, 27, 27½] ins.  
Sleeve seam, 18 ins. (adjustable).  
*These instructions apply to the above measurements only; adaptations to sizes other than those given in this booklet are not available.*

## SIZES

The figures in square brackets [ ] refer to the 36, 38, 40, 42 and 44 inch sizes respectively.

## ABBREVIATIONS

K.=knit; P.=purl; K.B.=knit into back of stitch;  
st.=stitch; tog.=together; inc.=increase by working into front and back of stitch; dec.=decrease by working 2 sts. together; beg.=beginning; rep.=repeat; patt.=pattern; ins.=inches; Tw.2F.=Twist

2 Front by knitting into front of 2nd st., then front of first st. on left-hand needle and slipping 2 sts. off needle together; Tw.2B.=Twist 2 Back by knitting into back of 2nd st., then back of first st. on left-hand needle and slipping 2 sts. off needle together.

**Check your Tension** by casting on 23 sts. on No. 9 needles. Work 31 rows in stocking stitch. Lightly pressed should measure 4 ins.  
**Tension** 5½ sts. and 7½ rows to one square inch.

## WASHING DOUBLE KNITTING

As this design uses a substantial weight of double knitting wool, special care in washing and drying is essential if it is to keep its shape. Surplus water should be removed as quickly and as thoroughly as possible (a light wringer is permissible); while the garment is wet it should be continually supported and should on no account be hung up to dry.

## PANEL PATTERN

(Referred to as patt. 14 throughout)

1st row—K.1, Tw.2F., P.2, Tw.2F., Tw.2B., P.2, Tw.2B., K.1.  
2nd row—K.1, P.2, K.2, P.4, K.2, P.2, K.1.  
3rd row—K.1, Tw.2F., P.2, Tw.2B., Tw.2F., P.2, Tw.2B., K.1.  
4th row—K.1, P.2, K.2, P.4, K.2, P.2, K.1.  
These 4 rows form the patt.

## BACK

Using No. 11 needles, cast on \_\_\_\_\_  
sts.  
Work in K.1, P.1 rib for 1½ ins.  
Change to No. 9 needles and proceed in continental stocking stitch thus:—  
1st row—K.B. all across.  
2nd row—P. all across.  
These 2 rows form the fabric patt.  
Continue in patt. until work measures 17 ins. from beg., finishing with wrong side facing for next row.  
Commence armhole shaping.  
\*\* Next row—Cast off \_\_\_\_\_  
P. to last \_\_\_\_\_  
sts., cast off \_\_\_\_\_  
Break off wool. Rejoin wool and work raglan shaping as follows:—  
1st row—K.2 tog., K.B. to last 2 sts., K.2 tog.  
2nd row—P. all across. \*\*  
Rep. these 2 rows until \_\_\_\_\_  
sts. remain, finishing at end of a dec. row.  
Change to No. 11 needles and work 2 rows in fabric patt.  
Cast off.

34"	36"	38"	40"	42"	44"
112	118	124	130	136	142
7	8	9	10	11	12
7	8	9	10	11	12
7	8	9	10	11	12
26	28	30	32	34	36

## POCKET

Using No. 11 needles, cast on 27 sts.  
Work in stocking stitch for 4½ ins., finishing at end of a K. row.  
Slip sts. on to a stitch-holder and leave.

--	--	--	--	--	--



## RIGHT FRONT

Using No. 11 needles, cast on \_\_\_\_\_  
sts.

Proceed as follows:—

**1st row**—Patt. 14 (1st row), \* K.1, P.1, rep. from \* to end.

**2nd row**—\* K.1, P.1, rep. from \* to last 14 sts., patt. 14 (2nd row).

**3rd and 4th rows**—Keeping patt. 14 correct (next row 3rd row) work as 1st and 2nd rows.

Continue as on these 4 rows until work measures  $1\frac{1}{2}$  ins. from beg., finishing with right side facing for next row and dec. 1 st. at beg. of last row of ribbing on 34, 38 and 42 inch sizes only. \_\_\_\_\_  
sts.

Keeping patt. 14 correct throughout and remainder of sts. in continental stocking stitch as on Back, **change to No. 9 needles** and continue in patt. and continental stocking stitch until work measures  $4\frac{1}{2}$  ins. from top of ribbing, finishing with right side facing for next row.

**Place Pocket** as follows:—

**Next row**—Patt. 14, K.B. \_\_\_\_\_

K. \_\_\_\_\_

slip these 27 sts. on to stitch-holder and leave, K.B. to end.

**Next row**—P. to sts. on stitch-holder, slip sts. from top of Pocket on to left-hand needle, P. across these sts. P. \_\_\_\_\_  
patt. 14.

Continue until work measures  $14\frac{1}{2}$  ins. from beg., finishing with right side facing for next row.

**Commence front slope** as follows:—

**Next row**—Patt. 14, K.B.1, work 2 tog., K.B. to end.

Keeping patt. correct, work 3 rows.

Rep. last 4 rows 4 times more, then rep. decrease row.

**Commence armhole shaping.**

**Next row**—Cast off \_\_\_\_\_

work to end.

Complete front slope and work **raglan shaping**.

**1st row**—Patt. 14, K.B. to last 2 sts., K.2 tog.

**2nd row**—P. to last 14 sts., patt. 14.

**3rd row**—Patt. 14, K.B.1, work 2 tog., K.B. to last 2 sts., K.2 tog.

**4th row**—P. to last 14 sts., patt. 14.

Rep. 1st to 4th row \_\_\_\_\_

times more, thus completing front slope shaping.

Continue as follows:—

**1st row**—Work to last 2 sts., K.2 tog.

**2nd row**—P. to last 14 sts., patt. 14.

Continue dec. at armhole as on last 2 rows until all sts. are worked off.

34"	36"	38"	40"	42"	44"
58	60	64	66	70	72
57	60	63	66	69	72
3	4	5	6	7	8
27	27	27	27	27	27
3	4	5	6	7	8
7	8	9	10	11	12
6	7	8	9	10	11

## POCKET TOP

Slip 27 sts. from top of Pocket on to No. 11 needle, right side facing for 1st row.

**1st row**—K.2, \* P.1, K.1, rep. from \* to last st., K.1.

**2nd row**—\* K.1, P.1, rep. from \* to last st., K.1.

Rep. these 2 rows twice more.

Cast off in rib.

## POCKET, LEFT FRONT AND POCKET TOP

Work Pocket as Right Front.

Using No. 11 needles, cast on \_\_\_\_\_  
sts.

**1st row**—\* P.1, K.1, rep. from \* to last 14 sts., patt. 14.

**2nd row**—Patt. 14, \* P.1, K.1, rep. from \* to end.

Continue until work matches Right Front to completion of ribbing, dec. 1 st. at end of last row of ribbing on 34, 38 and 42 inch size only \_\_\_\_\_  
sts.

**Change to No. 9 needles.**

**1st row**—K.B. to last 14 sts., patt. 14.

**2nd row**—Patt. 14, P. to end.

Continue until work matches Right Front to placing of Pocket, finishing with right side facing for next row.

34"	36"	38"	40"	42"	44"
58	60	64	66	70	72
57	60	63	66	69	72



	34"	36"	38"	40"	42"	44"
Next row—K.B. to last sts., K. —————→	44	45	46	47	48	49
slip these 27 sts. on to a stitch-holder and leave, K.B. —————→	27	27	27	27	27	27
patt. 14. —————→	3	4	5	6	7	8
Next row—Patt. 14, P. —————→	3	4	5	6	7	8
place Pocket, P. to end.						
Continue until work measures 14½ ins. from beg., finishing at side edge.						
Next row—Patt. to last 17 sts., K.2 tog., K.B.1, patt. 14.						
Work 3 rows.						
Rep. last 4 rows 4 times more, then rep. decrease row.						
Commence armhole shaping.						
Next row—Patt. 14, P. to last sts., cast off —————→	7	8	9	10	11	12
Break off wool.	7	8	9	10	11	12
Rejoin wool and work raglan shaping						
1st row—K.2 tog., work to end.						
2nd row—Patt. 14, work to end.						
3rd row—K.2 tog., work to last 17 sts., K.2 tog., K.B.1, patt. 14.						
4th row—Patt. 14, work to end.						
Rep. 1st to 4th rows times more. —————→	6	7	8	9	10	11
Proceed as follows:—						
1st row—K.2 tog., work to end.						
2nd row—Patt. 14, work to end.						
Continue dec. at armhole as on last 2 rows until all sts. are worked off.						

## SLEEVES

Using No. 11 needles, cast on sts. —————→	54	54	58	58	62	62
Work in K.1, P.1 rib for 3 ins.						
Next row—Rib —————→	4	4	6	3	5	5
(inc. in next st., rib sts.) —————→	8	4	4	3	3	2
times, inc. in next st., rib to end sts. —————→	5	9	9	13	13	17
	60	64	68	72	76	80
Change to No. 9 needles and proceed in continental stocking stitch, inc. 1 st. at both ends of 5th row following and every following 7th row for all sizes until there are sts. —————→	90	94	98	102	106	110
Continue on these sts. until work measures 18 ins. from beg., finishing with wrong side facing for next row (adjust length at this point).						
Work as Back from ** to **, then rep. 1st and 2nd rows until 4 sts. remain, finishing at the end of a dec. row. Cast off.						

## FRONT BAND

Using No. 11 needles, cast on 11 sts.						
Rep. 1st and 2nd rows of Pocket Top twice.						
Next row—Rib 4, cast off 3, rib to end.						
Next row—Rib 4, cast on 3, rib to end.						
Continue in rib working a buttonhole as on last 2 rows on every 21st and 22nd row from previous buttonhole until 6 buttonholes in all have been worked.						
Continue in rib until work measures ins. from beg. (slightly stretched). Cast off. —————→	56	56½	57½	58½	59	59½

## TO MAKE UP

1. Omitting K.1, P.1 rib, with wrong side of work facing, block each piece by pinning out round edges.
2. Omitting K.1, P.1 rib, press each piece lightly using a warm iron and damp cloth.
3. Flat-stitch Pockets into position on wrong side, Pocket Tops on right side.

4. Using a flat seam for K.1, P.1 rib and a fine back-stitch seam for remainder join side and sleeve seams and stitch Sleeves into position matching shapings, stitching 2 rows at top of Back to 2 of the cast-off sts. at top of Sleeves.
5. Stitch Front Band into position, buttonhole Band right side for Woman, left side for Man.
6. Attach buttons. 7. Press seams.

Please address knitting enquiries concerning this booklet to Mrs. Sarah Bell, Patons & Baldwins Limited, Great West Road, Brentford, Middlesex. Prices apply only in Great Britain and Northern Ireland

**PUBLISHED BY PATONS & BALDWIN'S LIMITED**

Made and Printed in Great Britain by Percy Lund, Humphries & Co. Ltd, Bradford and London

37685